

Scaling of Harmonized Digital Fertilizer Advisory in Ethiopia: Innovation Use Practice

November 2025



Authors:

Gizaw Desta, Gizachew Legesse, Abiro Tigabie, Getachew Agegnehu

Decision-making and capacity building to enable innovation use

Scaling partners platform decision-making events for scaling plan and operations




Experts and extension agents get hands-on training on the scaling implementation protocol



Farmers' sensitized and practiced precision fertilizer application

- a) Awareness creation on parcel/site-specific fertilizer use, use the parcel map for registration
- b) Farmers informed about the farmer and crop-specific rates of fertilizer
- c) Measure the right type and quantity of fertilizer per parcel
- d) Field practice for uniform and row application of fertilizer, and Urea top dressing



Farmer-to-Farmer Experience Exchange and Learning on Farmer Fields Managed with Localized Agronomy and Fertilizer Advisory Solutions

The scaling activities highlighted several key outcomes.

1. Farmers noted that crops managed using the localized fertilizer advisory demonstrated better growth, vigor, and uniformity with enhanced disease resistance, particularly in wheat.
2. The site-specific fertilizer application, adjusting quantities according to land conditions and crop needs, offered practical solutions resulting in improved productivity, reduced the production costs and input use.
3. The technical and institutional support provided by ICRISAT and scaling partner organizations was considered crucial to the success of the scaling.
4. Farmers, extension agents, and local leaders recognized that sustained digital advisory and extension service support enhances knowledge and skill of practitioners, efficiency, and overall crop agronomy management and soil health.



Farmers' Field Days for Experience Sharing and Learning at Siyadebirnawayu District, North Shewa Zone in Amhara Region

Participants: Total=196 (M=161, F=35)



በአንለሞ ወረዳ በ2017/18ምርት ከመን በአዲስ የአድር ማቅረብ አጠቃቀም ምክር ሁሳን መሠረት በምርት ከመን የአርስ አደር የማኑ ምልክት የመሰከ ቅን በሁለቁም (በደንብ መፈ) ለጠለቁ በየአካባቢያችው ከ11ቀበሌያት የተጠናከረ የአርስ አደርች የማኑ ምልክት መከናወኑ ይታወቂል፡፡ ለለሆነም እስከሁን በለው አፈጻጸም በ11ቀበሌያት የማኑ ምልክት ተሳታፊ አካላት አሟወቅ መረጃ በተመለከት ብቻ አርስ አደር ወ 598 ስት 203 ዓ 801 ብቻ ወጥቶች ወ 191 ስት 83 ዓ 271 ብቻ በጥቃት ለ1072 ተሳታፊዎች የማኑ ምልክት እንዲያደርግ ማድረግ ተቋል፡፡

Farmers' Field Days at AneLemo District, Hadya zone in Central Ethiopia

Farmer field day event at AneLemo District, Hadya zone in Central Ethiopia
(Total=1072: Adult=801 (Female=203, Male=598); youth=271 (Female=83, Male=191))





Farmers' Field Days and experience sharing at Lemo District, Hadya zone in Central Ethiopia

Farmer field day event at Lemo District, Hadya zone in Central Ethiopia (Total=901: Adult=797 (Female=166, Male=631); youth=104 (Female=28, Male=76)

Farmers' field day events at Silte Zone, Central Ethiopia region

- **East Silte District: (Total=265: Male=224 (Female=41) ,**
- **Wulbarag District: (Total=126: Farmers=46, Experts=30, Leaders=50)**
- **Zonal Field day: (Total=97: Experts and leaders=37 (M= 33, F= 4), Farmers=60 (M= 54, F=6)**





Farmers' Field Days and Experience Sharing Event at Kachabirra District, Kembata Zone in Central Ethiopia

Participants Total 192 Adult 174, (Female=27, Male=147) Youth 18 (Female=6, Male=12)





Farmers Experience Sharing and Learning Field Days at Doyogena District, Kambata zone in Central Ethiopia

Farmer field day event Participants:

Total= 214 (Male 166, Female 48): Adult= 175 (Female=37, Male=138); Youth=39 (Female=11, Male=28)

Experience Sharing and Learning Field Days at Demboya District, Kambata zone in Central Ethiopia



Field day event Participants

Total=214 (Male= 166, Female= 48); Adult=175(Female=37, Male=138); Youth=39 (Female=11, Male=28)



Farmer's Field Days at Damot Gale District, Woliata zone in South Ethiopia

Farmer's field day event participants:
(Total=242 (Female=55, Male=187)






የዕለሰ በለሰ በቃለዎች ቅበለ በአክፍራት የተሰኔ ስራዎች የ
የተገኘው 35
ስ 6 ዓምር 41 ከዚህ ውስጥ ወጪዎች 12 የወረዳ በለመ-
አስተያየት
1 ተሞክሮው በጥም ጥሩ ነው የተሰኔው ስራ ለለለቻት እና
2 በቻንጻ መሬት በተመሬት ማግኘታችን እና አረሰቶን በ
ቀስተናችን ያረጋግጣልና::
3 ለለው ከሚመለከታቸው አከለት ቤድ የጊበዦት ቅጂ በ
ለመሰረት

Farmers' Field Days in West Belesa District, Central Gondar Zone Amhara Region

Participants: Total= 88 (Female=7, Male=81)



Farmers' Experience Sharing and Learning Field Days at Basona Werana District and Debre Berhan City Administration, North Shewa Zone in Amhara Region



Participants: Total=539 (Male= 341, Female=198)

Adults: Male=231, Female=125

Youths: Male=110, Female=73

Farmers' Experience Sharing and Learning Field Days at Adilo District, Kambata zone in Central Ethiopia

Participants: Total=338, (M=226, F= 112) Adult=316 (Female=102, Male=214); Youth=22 (Female=10, Male=12).



Temesgen Bateno

በቀኑ መሰኑ ገብዳቸት ላይ የተሰተኞ አርብ አድር በዘመን ወ 48 ሲ 29 ዓ.ም


በለመሆኑ የተገኘ ወ 5 ሲ 0 ዓ.ም 5 ዓመት::

አርብ አድር የንሰው ሁኔታ ::

በቀኑ በሀላፊነት በታ ውስጥ የሆነ ማቅረብ ከምኑንበቀመች ከበቻ በታ የተለያ የተሻለ ዓመት::

አለሰፈልጉ በታ የሚገባበቀመችን ማቅረብ መጠገን አሰፈልጉ በታ እንዲገባበቀመች ማቅረብ መጠገን መታወቁ የሚከፍል ሁኔታ ከተዘረዘሩ ስትል ከነበሩ የተሻለ መ እና ስት የተሻለ ሁኔታ ማቅረብ የጊዜ ማመራት በተለያ መፈፁፍ እና እስራ ላይ ማቅረብ ይጠና ከምኑንበቀመች ከፍ በሚለቱ ስፍ ማስ ያላት አርብአድቻ እና ስት እንዲተዋል::

TB



Farmers' Experience Sharing and Learning Field Days at Asagirt District, North Shewa Zone Amhara Region

Participants:

Total=1427 (Male 1272, Female 155)
Adults= 962 (Male=854, Female =108)
Youths= 393 (Male=366, Female =27)
Leaders and experts =72 (Male =52, Female=20)



Citation:

Destaa, G., Legesse, G., Tigabie, A., and Agegnehu, G. 2025. Scaling of Harmonized Digital Fertilizer Advisory in Ethiopia: Innovation Use Practice

Acknowledgements

The CGIAR Sustainable Science Program forms a part of CGIAR's new Research Portfolio, addressing key challenges in agri-food systems by fostering efficient production of nutritious foods and safeguarding the environment to create fair employment opportunities, as we simultaneously tackle climate change, soil degradation, pests, diseases, and desertification. Its research is being implemented by CGIAR researchers from ICRISAT and ALLIANCE Bioversity International CIAT in close partnership with the Ministry of Agriculture, Ethiopian Institute of Agricultural Research, Regional Agricultural Research Institutes (Amhara, Oromia, South, Central, South West), Self Help Africa (SHA), Catholic Church South Synod, Sasakawa Africa Association (SAA), People in Need, Enhanced Rural Self Help Association (ERSHA), Precision Development (PxD), and Digital Green.

We would like to thank all funders who supported this research through their contributions to the CGIAR Trust Fund: <https://www.cgiar.org/funders/>

About CGIAR Sustainable Science Program Report

This research was conducted as part of the CGIAR Sustainable Farming Science Program. This research is being implemented by CGIAR researchers from ICRISAT and ALLIANCE Bioversity International CIAT in close partnership with the Ministry of Agriculture, Ethiopian Institute of Agricultural Research, Regional Agricultural Research Institutes (Amhara, Oromia, South, Central, South West), Self Help Africa (SHA), Catholic Church South Synod, Sasakawa Africa Association (SAA), People in Need, Enhanced Rural Self Help Association (ERSHA), Precision Development (PxD), and Digital Green. CGIAR is a global research partnership for a food-secure future. Its science is carried out by 15 Research Centers in close collaboration with hundreds of global partners. www.cgiar.org

Disclaimer

This working paper has not been peer reviewed. Any opinions stated herein are those of the author(s) and do not necessarily reflect the policies or opinions of ICRISAT, donors, or partners.

This publication is copyrighted by the ICRISAT

It is licensed under a Creative Commons Attribution–NonCommercial 4.0 International License. To view this license, visit <https://creativecommons.org/licenses/by/4.0/>. Unless otherwise noted, you are free to share (copy and redistribute the material in any medium or format), adapt (remix, transform, and build upon the material) for any purpose, even commercially, under the following conditions:

ATTRIBUTION: The work must be attributed, but not in any way that suggests endorsement by ICRISAT or the author(s).

For any reuse or distribution, the license terms of this work must be made clear to others. Any of the above conditions can be waived if permission is obtained from the copyright holder. Nothing in this license impairs or author's moral rights. Fair dealing and other rights are in no way affected by the above. The parts used must not misrepresent the meaning of the publication. (insert names of CGIAR Centers involved) would appreciate being sent a copy of any materials in which text, photos, etc., have been used.

©2025 ICRISAT

Key Words:

Scaling partnership, capacity building, Farmer-to-farmer exchange events, Innovation use practice, Ethiopia

Partners

Ministry of Agriculture, Self Help Africa (SHA), Catholic Church South Synod, Sasakawa Africa Association (SAA), People in Need, Enhanced Rural Self Help Association (ERSHA), Ethiopian Institute of Agricultural Research, Precision Development (PxD), Digital Green

About CGIAR Sustainable Farming Science Program

The CGIAR Sustainable Farming Science Program will address key challenges in agrifood systems by fostering efficient production of nutritious foods and safeguarding the environment to create fair employment opportunities, as we simultaneously tackle climate change, soil degradation, pests, diseases, and desertification.

About CGIAR Sustainable Farming Science Program

The CGIAR Sustainable Farming Science Program will address key challenges in agri food systems by fostering efficient production of nutritious foods and safeguarding the environment to create fair employment opportunities, as we simultaneously tackle climate change, soil degradation, pests, diseases, and desertification.





CGIAR

BETTER DIETS
AND NUTRITION

BREEDING FOR
TOMORROW

CAPACITY
SHARING

CLIMATE
ACTION

DIGITAL
TRANSFORMATION

FOOD FRONTIERS
AND SECURITY

GENDER EQUALITY
AND INCLUSION

GENEBANKS

MULTIFUNCTIONAL
LANDSCAPES

POLICY
INNOVATIONS

SCALING FOR
IMPACT

SUSTAINABLE ANIMAL
AND AQUATIC FOODS

SUSTAINABLE
FARMING